



FHSC-330-3-24

48J Fiber Optic Splice Closure equipped with 3 round ports

The fiber optic closure is an advanced solution designed to protect optical fibers in connections between two cables, allowing uncut fiber tubes to be stored inside the enclosure.

The enclosure features high sealing performance, providing excellent protection against water and moisture. Its metal components are corrosion-resistant, which further enhances durability.

The product is equipped with one oval port and three round ports, all secured with heat-shrink seals.

The FHSC-330-3-24 closure is an ideal solution for applications in harsh environmental conditions, ensuring reliability and ease of maintenance.


Thanks to its design, the closure is easy to install and operate, making it an excellent choice for modern fiber optic installations.



Technical specifications

48J Fiber Optic Splice Closure equipped with 3 round ports

Capacity	up to 48 fibers
Maximum number of cassettes	4 cassettes of 12 fibers each
Oval ports	1 oval port accommodating two cables with diameters ranging from 10 to 22 mm
Round ports	3 round ports, each for a single cable 5 to 19 mm in diameter
Degree of protection	IP66
Length	330 mm (without cable sealing)
Diameter	110 mm
Weight	1,5 kg



Available variants

48J Fiber Optic Splice Closure equipped with 3 round ports



High sealing performance and corrosion protection

The closure provides excellent protection against water and moisture thanks to its high sealing performance.

Its metal components are corrosion-resistant, ensuring long-term reliability.

Versatility of application

The product is designed for both underground and aerial fiber optic cables, including central tube and loose tube designs, making it a universal solution for various telecommunications and industrial environments.

Reusable seal and high capacity

The flexible rubber gasket inside the closure can be reused multiple times, providing excellent sealing performance.

The enclosure has a capacity of up to 48 fibers, organized into four trays, ensuring convenient operation and fiber management.