



SEC5EFTPD

350MHz

305m

Fca


PE

securityNET F/UTP Cat 5e PE Outdoor Dry Cable, 305 m

The securityNET Category 5e F/UTP installation twisted-pair cable is a four-pair data transmission cable designed for outdoor telecommunications and structured cabling installations. It is intended for connecting network devices such as computers, routers, switches, and IP CCTV cameras.

The foil shield helps reduce the impact of electromagnetic interference, while solid copper conductors ensure stable data transmission and compliance with Category 5e requirements, including Power over Ethernet (PoE) applications. The cable is commonly used in outdoor LAN networks and IP surveillance systems.


The cable complies with the requirements of the ISO/IEC 11801, EN 50173, and EIA/TIA 568-C.2 standards.




Technical specifications

securityNET F/UTP Cat 5e PE Outdoor Dry Cable, 305 m

Outer diameter	6,3mm
Category/class	5e (class D)
Shielding	F/UTP
Copper conductor thickness/AWG	AWG24
Wires	solid wire
Conductors	100% copper
Conductor insulation	HDPE, conductor diameter 1.02 mm
Coating thickness	0,55mm
Outer sheath	LDPE
CPR class	Fca
Cable construction	4x2
Bend radius at installation	51mm



Impedance	100Ω
Delay Skew	≤45
Nominal propagation velocity (NVP)	68%
Linear Resistance (max.)	9,5 (Ω/100m)
Pair separator	not
Operating temperature	from -30°C to 60°C
Installation temperature	from -10°C to 70°C
Quantity per package	305m
Insulation color	RAL 9005
RoHS	yes



Polyethylene jacket for outdoor installation

The PE (polyethylene) sheath has been designed for cable installations in outdoor conditions, such as exposure to UV radiation, low and high temperatures, and increased humidity. securityNET cables, in their distinctive black color, offer greater resistance to mechanical damage compared to standard installation cables. The absence of gel filling indicates that the cable is intended for above-ground installations.

A dependable network you can trust

The securityNET twisted pair cable is made of the highest quality copper, making it the optimal choice for building connections designed to last for years. It has undergone rigorous strength tests over a 90-meter length using a Fluke Networks DSX-8000 meter. Therefore, if you are seeking materials with exceptional durability, this is an excellent option.