




SEC5EUTPG305

350MHz 305m Fca PE

securityNET U/UTP cable Category 5e PE outdoor gelfilled 305m

SecurityNET installation twisted-pair cable is designed to make connections between distribution points for multimedia signals and users' connection outlets. U/UTP (unshielded) twisted pair cable is an indispensable component for installations in computer networks, telephone networks, CCTV systems, etc., which are not subject to electromagnetic interference. It has a PE outer coating that protects it from damage due to external conditions. The cable meets the requirements of structured cabling standards: ISO/IEC 11801, EN 50173, EIA/TIA 568-C.2.



Technical specifications


securityNET U/UTP cable Category 5e PE outdoor gel-filled 305m

Outer diameter	5,6mm
Category/class	5e (class D)
Shielding	U/UTP
Copper conductor thickness/AWG	0,5mm/AWG24
Wires	solid wire
Conductors	100% copper
Conductor insulation	HDPE, wire diameter 1.0mm
Coating thickness	0,55mm
Outer sheath	PE
CPR class	Fca
Cable construction	4x2
Bend radius at installation	45mm
Impedance	100Ω





Delay Skew	≤45
Nominal propagation velocity (NVP)	65%
Linear Resistance (max.)	9,5 (Ω/100m)
Pair separator	not
Operating temperature	from -30°C to 60°C
Installation temperature	from -10°C to 70°C
Quantity per package	305m
Insulation color	RAL 9005
RoHS	yes



PE jacket designed for external environments

The PE (polyethylene) jacket is designed for cable installation in outdoor conditions, such as UV radiation, low and high temperatures, and increased humidity. securityNET cables, in their distinctive black color, are more resistant to mechanical damage compared to standard installation cables. Gel filling indicates that the cable is suitable for underground installation (conduit use is required).

A dependable network you can trust

The securityNET twisted pair cable is made of the highest quality copper, making it the optimal choice for building connections designed to last for years. It has undergone rigorous strength tests over a 90-meter length using a Fluke Networks DSX-8000 meter. Therefore, if you are seeking materials with exceptional durability, this is an excellent option.