
securityNET

SEC6UTPD | 250MHz | 305m | Fca | PE

securityNET U/UTP Category 6 PE outdoor dry cable 305m



The securityNET Category 6 U/UTP installation twisted-pair cable is a four-pair data transmission cable designed for outdoor telecommunications and structured cabling installations. It is intended for connecting network devices such as computers, routers, switches, and IP CCTV cameras.

Solid copper conductors ensure stable data transmission and compliance with Category 6 requirements, including Power over Ethernet (PoE) applications. The cable is commonly used in outdoor LAN networks and IP surveillance systems in environments not exposed to significant electromagnetic interference.
The cable complies with the requirements of the ISO/IEC 11801, EN 50173, and EIA/TIA 568-C.2 standards.


Technical specifications

securityNET U/UTP Category 6 PE outdoor dry cable 305m

Outer diameter	7,0mm
Category/class	6 (E class)
Shielding	U/UTP
Copper conductor thickness/AWG	AWG23
Wires	solid wire
Conductors	copper
Conductor insulation	HDPE 0,98mm
Coating thickness	0,6mm
Outer sheath	PE
CPR class	Fca
Cable construction	4x2

info@securitynet.eu
+48 65 525 55 50

Bend radius at installation	56mm
Impedance	100Ω
Delay Skew	≤45
Nominal propagation velocity (NVP)	66%
Linear Resistance (max.)	9,5 (Ω/100m)
Pair separator	yes
Operating temperature	from -30°C to 60°C
Installation temperature	from -10°C to 70°C
Quantity per package	305m
Insulation color	RAL 9005
RoHS	yes



Polyethylene jacket for outdoor installation

The PE (polyethylene) sheath has been designed for cable installations in outdoor conditions, such as exposure to UV radiation, low and high temperatures, and increased humidity. securityNET cables, in their distinctive black color, offer greater resistance to mechanical damage compared to standard installation cables. The absence of gel filling indicates that the cable is designed for above-ground installations.

A dependable network you can trust

The securityNET twisted pair cable is made of the highest quality copper, making it the optimal choice for building connections designed to last for years. It has undergone rigorous strength tests over a 90-meter length using a Fluke Networks DSX-8000 meter. Therefore, if you are seeking materials with exceptional durability, this is an excellent option.